

KUMTEL.COM LUXELL.COM.TR

HOME APPLIANCES PRODUCT CATALOG

MINI OVEN | FREE STANDING OVEN | BUILT-IN OVEN | HOB | HOOD | TOAST
KETTLE | HOTPLATE | BARBECUE | HEATER

KUMTEL **LUXELL**



Head Office

Büyük Hendek Caddesi No:57 34420 Şişhane / İstanbul - TURKEY
T. +90 (212) 292 25 25 F. +90 (212) 252 11 53

Factory

Organize Sanayi Bölgesi 6.Cadde No:42 38080 Kayseri - TURKEY
T. +90 (352) 321 14 00 F. +90 (352) 321 14 14

ABOUT US

KUMTELA.Ş. ,which started its operations in 1960 in Kayseri succeeded in producing the first domestic telephone in Turkey with the money-box telephones. In 1976 it entered the heater sector with ceramic stoned heater production, and a foreign market potential was created with the export sales of the heaters produced in this period. With its rapidly growing activities in electrical home appliance and telecommunication fields in Turkey, the KUMTEL name became a preferred brand in the world markets. Our establishment provides services all across TURKEY through its 550 outhorizedservicesin the 7 regions in order to maintain the technical services of its products and its customer orientation services. KUMTEL & LUXELL products, which have TUV GS, KEMA KEUR, TSE and CE certifications are being exported to 120 countries all around the world. KUMTEL, which gained a place among the largest companies in Turkey, continues fast and flexible production and effective R&D operations and will continue to be an establishment of choice in its sector through its competent personel and the investments.

KUMTEL | **LUXELL**



— *Tini Mini* —

8500 Series

Mini Ovens

TiniMini Series

8589 Rustik
TiniMini - Turbo



8520 Pink
TiniMini - Static



- 1000 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 20 Lt. •
- Turbo fan •
- Grill mode •
- Interior oven light •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •

- 1400 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 20 Lt. •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •



*Optional colors.



*Optional colors.

	8589	8520
Dimension(wxdxh) >	44x44x33 cm •	44x44x33 cm •
Package Dimension (wxdxh) >	47x48x38 cm •	47x48x38 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 8589 >	370 Pcs. •	660 Pcs. •	810 Pcs. •
8520 >	370 Pcs. •	660 Pcs. •	810 Pcs. •



Mini Ovens

13000 Series

Mini Ovens

13000 Series

13690 Full inox
Restaurant



- (1300 Watts Grill) 2100 Watts •
- Kebap and 7 pcs. shish-kebab set •
- Rotisserie •
- Yoghurt function •
- Adjustable timer with alarm & thermostat •
- Interior capacity 40 Lt. •
- Turbo fan & Interior oven light •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

13650 Half inox
Digital Restaurant



- (1300 Watts Grill) 2100 Watts •
- Digital control panel •
- Rotisserie, 7 pcs. shish-kebab and grill set •
- Yoghurt function •
- Child lock and pop-up button •
- Digital adjustable timer & thermostat •
- Interior capacity 40 Lt. •
- Turbo fan & Interior oven light •
- 1 round + 1 square enamel tray & Cr-Ni wire rack •
- Round backside •

	13690	13650
Dimension(wxdxh) >	48x60x32,5 cm •	48x60x32,5 cm •
Package Dimension (wxdxh) >	51x64,5x39 cm •	30x60x40 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 13690 >	245 Pcs. •	440 Pcs. •	545 Pcs. •
13650 >	245 Pcs. •	440 Pcs. •	545 Pcs. •

13575 White
Börekçi



- 1800 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 40 Lt. •
- Turbo fan •
- Interior oven light •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

13575 Rustik
Börekçi



- 1800 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 40 Lt. •
- Turbo fan •
- Interior oven light •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

	13575
Dimension(wxdxh) >	48x60x32,5 cm •
Package Dimension (wxdxh) >	51x64,5x39 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 13575 >	245 Pcs. •	440 Pcs. •	545 Pcs. •

Mini Ovens

13000 Series

13570 Half inox
Börekçi



- 1450 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 40 Lt. •
- Interior oven light •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

13570 Grey
Börekçi



- 1800 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 40 Lt. •
- Interior oven light •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

13570
Dimension(wxdxh) > 48x60x32,5 cm •
Package Dimension (wxdxh) > 51x64,5x39 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 13570 >	245 Pcs. •	440 Pcs. •	545 Pcs. •

13520 *Black*
Basic



- 1800 Watts •**
- Adjustable thermostat •**
- Adjustable timer •**
- Interior capacity 39 Lt. •**
- Interior oven light •**
- 1 round enamel tray •**
- Cr-Ni wire rack •**
- Flat backside •**

13675 *Fushya*
A18 - Börekçi



- 1800 Watts •**
- Double glass door •**
- Adjustable thermostat •**
- Adjustable timer •**
- Interior capacity 40 Lt. •**
- Turbo fan •**
- Interior oven light •**
- 1 round and 1 square enamel tray •**
- Cr-Ni wire rack •**
- Round backside •**

	13520	13675
Dimension(wxdxh) >	41,5x60x39 cm •	48x60x32,5 cm •
Package Dimension (wxdxh) >	47x64,5x39 cm •	51x64,5x39 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 13520 >	270 Pcs. •	480 Pcs. •	590 Pcs. •
13675 >	245 Pcs. •	440 Pcs. •	545 Pcs. •

Mini Ovens

13000 Series

13577 Half inox
Triple plate



- 2950 Watts •
- 1500+1000+450 Watts plates •
- Adjustable thermostat •
- Interior capacity 40 Lt. •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

13576 Half inox
Double plate



- 2950 Watts •
- 1500+1000 Watts plates •
- Adjustable thermostat •
- Interior capacity 40 Lt. •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

	13577	13576
Dimension(wxdxh) >	48x60x39 cm •	48x60x39 cm •
Package Dimension (wxdxh) >	51x65x43 cm •	51x65x43 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 13577 >	220 Pcs. •	395 Pcs. •	485 Pcs. •
13576 >	220 Pcs. •	595 Pcs. •	485 Pcs. •



Mini Ovens

5000 Series

Mini Ovens

5000 Series

5360 Grey
Double plate



- 2000 Watts •
- 1450 Watts oven •
- Adjustable thermostat •
- Interior capacity 32 Lt. •
- 2 square enamel tray •
- Cr-Ni wire rack •

5345 Grey
Full edition



- 1420 Watts •
- Rotisserie •
- Adjustable timer with alarm •
- Adjustable thermostat •
- Interior capacity 32 Lt. •
- Turbo fan •
- Interior oven light •
- 1 round + 1 square enamel tray •
- Cr-Ni wire rack •

	5360	5345
Dimension(wxdxh) >	45x51,5x37 cm •	45x51,5x31,5 cm •
Package Dimension (wxdxh) >	47x58x42 cm •	47,5x56,5x36,5 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 5360 >	275 Pcs. •	495 Pcs. •	605 Pcs. •
Loading Quantity (Foam) 5345 >	320 Pcs. •	575 Pcs. •	710 Pcs. •

5430 White
Mercan Design



- 1420 Watts •**
- Adjustable timer with alarm •**
- Adjustable thermostat •**
- Interior capacity 32 Lt. •**
- 1 round + 1 square enamel tray •**
- Cr-Ni wire rack •**

5520 Grey-Black
Granitech



- 1420 Watts •**
- 1 square Granitech tray •**
- Metal protected glass door •**
- Adjustable timer with alarm •**
- Adjustable thermostat •**
- Interior capacity 32 Lt. •**
- Cr-Ni wire rack •**



*A13 Standarts

	5430	5520	20"DC Cont.	40"DC Cont.	40"HC Cont.
Dimension(wxdxh) >	45x51,5x31,5 cm •	45x51,5x31,5 cm •			
Package Dimension (wxdxh) >	47,5x56,5x36,5 cm •	47,5x56,5x36,5 cm •			
Loading Quantity (Foam) - 5430 >			320 Pcs. •	575 Pcs. •	710 Pcs. •
Loading Quantity (Foam) - 5520 >			320 Pcs. •	575 Pcs. •	710 Pcs. •

Mini Ovens

5000 Series

5640 Grey-Black
A18 Standarts



- 1420 Watts •
- Rotisserie •
- Double glass door •
- Adjustable timer with alarm •
- Adjustable thermostat •
- Interior capacity 32 Lt. •
- 2 square enamel tray •
- Cr-Ni wire rack •

5330 Black Edition
Basic - 2



- 1420 Watts •
- Adjustable thermostat •
- Interior capacity 32 Lt. •
- 2 square enamel tray •
- Cr-Ni wire rack •

	5640	5330
Dimension(wxdxh) >	45x51,5x31,5 cm •	45x51,5x31,5 cm •
Package Dimension (wxdxh) >	47,5x56,5x36,5 cm •	47,5x56,5x36,5 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity (Foam) - 5640 >	320 Pcs. •	575 Pcs. •	710 Pcs. •
Loading Quantity (Foam) - 5330 >	320 Pcs. •	575 Pcs. •	710 Pcs. •



Mini Ovens

3500 Series

Mini Ovens

3500 Series

3590 White
Usta Börekçi - Full

3585 White
Usta Börekçi



- 1800 Watts •
- Rotisserie •
- Kebab & grill set •
- Yoghurt function •
- Adjustable thermostat & timer •
- Interior capacity 40 Lt. •
- Turbo fan & interior oven light •
- 1 round + 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •



- 1800 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 40 Lt. •
- Turbo fan •
- Interior oven light •
- 1 patterned round + 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

	3590	3585
Dimension(wxdxh) >	48x63x33 cm •	48x63x33 cm •
Package Dimension (wxdxh) >	50x65x36,5 cm •	50x65x36,5 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 3590 >	265 Pcs. •	475 Pcs. •	585 Pcs. •
3585 >	265 Pcs. •	475 Pcs. •	585 Pcs. •

3675 White
Green Apple



- 1800 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 40 Lt. •
- Turbo fan •
- Interior oven light •
- 1 patterned round + 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

3595 Grey-Black
Usta Börekçi



- 1800 Watts •
- Rotisserie •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 39 Lt. •
- Turbo fan •
- Interior oven light •
- 1 round enamel tray •
- Cr-Ni wire rack •
- Flat backside •

	3675	3595
Dimension(wxdxh) >	48x63x33 cm •	48x63x33 cm •
Package Dimension (wxdxh) >	50x65x36,5 cm •	50x65x36,5 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 3675 >	265 Pcs. •	475 Pcs. •	585 Pcs. •
3595 >	265 Pcs. •	475 Pcs. •	585 Pcs. •

Mini Ovens

3500 Series

3582 Grey-Black
Börekçi

3570 Fushya
Basic Börekçi



- 1800 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 40 Lt. •
- Turbo fan •
- Interior oven light •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

- 1800 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 40 Lt. •
- 1 round and 1 square enamel tray •
- Cr-Ni wire rack •
- Round backside •

	3582	3570
Dimension(wxdxh) >	48x63x33 cm •	48x63x33 cm •
Package Dimension (wxdxh) >	30x60x40 cm •	50x65x36,5 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 3582 >	265 Pcs. •	475 Pcs. •	585 Pcs. •
3570 >	265 Pcs. •	475 Pcs. •	585 Pcs. •

3573 Grey-black
Basic Börekçi



- 1800 Watts •**
- Adjustable thermostat •**
- Interior capacity 40 Lt. •**
- 1 round enamel tray •**
- Cr-Ni wire rack •**
- Round backside •**

3540 Inox grey-Black
Basic Rotisserie



- 1800 Watts •**
- Rotisserie •**
- Adjustable thermostat •**
- Adjustable timer •**
- Interior capacity 39 Lt. •**
- 2 square enamel tray •**
- Cr-Ni wire rack •**
- Flat backside •**

	3573	3540
Dimension(wxdxh) >	48x63x33 cm •	41x63x33 cm •
Package Dimension (wxdxh) >	50x65x36,5 cm •	45x64x36 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 3573 >	265 Pcs. •	475 Pcs. •	585 Pcs. •
3540 >	305 Pcs. •	545 Pcs. •	670 Pcs. •

Mini Ovens 3500 Series

3520 Black Edition
Flat Basic 3



- 1800 Watts •
- Adjustable thermostat •
- Adjustable timer •
- Interior capacity 39 Lt. •
- 2 enamel tray •
- Cr-Ni wire rack •
- Flat backside •

3530 Grey-Black
Flat Basic 2



- 1800 Watts •
- Adjustable thermostat •
- Interior capacity 39 Lt. •
- 2 enamel tray •
- Cr-Ni wire rack •
- Flat backside •

	3520	3530
Dimension(wxdxh) >	41x63x33 cm •	41x63x33 cm •
Package Dimension (wxdxh) >	45x64x36 cm •	45x64x36 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 3520 >	305 Pcs. •	545 Pcs. •	585 Pcs. •
3530 >	305 Pcs. •	545 Pcs. •	670 Pcs. •



Mini Ovens

3000 Series

Mini Ovens

3000 Series

3125 Fushya
Deffne Design



- 1420 Watts •
- Adjustable timer •
- Adjustable thermostat •
- Interior capacity 32 Lt. •
- 1 square and 1 round enamel tray •
- Cr-Ni wire rack •

3145 White
Full Version



- 1420 Watts •
- Rotisserie •
- Turbo fan •
- Interior oven light •
- Adjustable timer & thermostat •
- Interior capacity 32 Lt. •
- 2 square enamel tray •
- Cr-Ni wire rack •

	3125	3145
Dimension(wxdxh) >	42,5x53x34 cm •	42,5x53x34 cm •
Package Dimension (wxdxh) >	45,5x54x35 cm •	45,5x54x35 cm •
Package Dimension - foam (wxdxh) >	48x57x37 cm •	48x57x37 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 3125 >	370 Pcs. •	660 Pcs. •	810 Pcs. •
3145 >	370 Pcs. •	660 Pcs. •	810 Pcs. •
Loading Quantity (foam) - 3125 >	312 Pcs. •	560 Pcs. •	685 Pcs. •
- 3145 >	312 Pcs. •	560 Pcs. •	685 Pcs. •

3225 Red-Black
A18 Standarts



- 1420 Watts •
- Double glass door •
- Adjustable timer •
- Adjustable thermostat •
- Interior capacity 32 Lt. •
- 2 square enamel tray •
- Cr-Ni wire rack •

3100 Black-Grey
Rotisserie



- 1420 Watts •
- Rotisserie •
- Adjustable timer •
- Adjustable thermostat •
- Interior capacity 32 Lt. •
- 2 square enamel tray •
- Cr-Ni wire rack •

	3225	3100
Dimension(wxdh) >	42,5x53x34 cm •	42,5x53x34 cm •
Package Dimension (wxdh) >	45,5x54x35 cm •	45,5x54x35 cm •
Package Dimension - foam (wxdh) >	48x57x37 cm •	48x57x37 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 3225 >	370 Pcs. •	660 Pcs. •	810 Pcs. •
- 3100 >	370 Pcs. •	660 Pcs. •	810 Pcs. •
Loading Quantity (foam) - 3225 >	312 Pcs. •	560 Pcs. •	685 Pcs. •
- 3100 >	312 Pcs. •	560 Pcs. •	685 Pcs. •

Mini Ovens

3000 Series

3135 Blue-Black
Basic-2



1420 Watts •
Adjustable thermostat •
Interior capacity 32 Lt. •
2 enamel tray •
Cr-Ni wire rack •

3000 Black-Grey
Basic - 1



1420 Watts •
Interior capacity 32 Lt. •
2 square enamel tray •
Cr-Ni wire rack •

	3135	3000
Dimension(wxdxh) >	42,5x53x34 cm •	42,5x53x34 cm •
Package Dimension (wxdxh) >	45,5x54x35 cm •	45,5x54x35 cm •
Package Dimension - foam (wxdxh) >	48x57x37 cm •	48x57x37 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 3135 >	370 Pcs. •	660 Pcs. •	810 Pcs. •
- 3000 >	370 Pcs. •	660 Pcs. •	810 Pcs. •
Loading Quantity (foam) - 3135 >	312 Pcs. •	560 Pcs. •	685 Pcs. •
- 3000 >	312 Pcs. •	560 Pcs. •	685 Pcs. •



Built-in Series

Ovens - Hobs - Hoods

Built-in Ovens

DDT & DT Series

A6 SF2 (DDT)

Digital touch



- 10 cooking programmes •**
- Glass-faced control panel •**
- Touch button control •**
- Defrosting function • Turbo fan •**
- Internal light • 57 lt Inner capacity •**
- Wire pull-out shelves •**
- Double glass door •**
- Adjustable thermostat and timer •**
- 2 enamel trays and 1 grid •**

*Optional gas cooking system

*Optional hidden cooking system



*Optional colors.

A6 SF2 (DT)

Digital



- 4 cooking programmes •**
- Painted control panel •**
- Digital button control •**
- Internal light • Turbo fan •**
- 57 lt Inner capacity •**
- Wire pull-out shelves •**
- Double glass door •**
- Adjustable thermostat and timer •**
- 2 enamel trays and 1 grid •**

*Optional gas cooking system

*Optional hidden cooking system



*Optional colors.

	A6SF2 (DDT)	A6SF2 (DT)
Package type >	Polyfoam and shrink •	Polyfoam and shrink •
Package Dimension (wxdxh) >	64x66x63 cm •	64x66x63 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - A6SF2(DDT) >	85 Pcs. •	170 Pcs. •	216 Pcs. •
A6SF2(DT) >	85 Pcs. •	170 Pcs. •	216 Pcs. •

A6 SF2 (MT)

Mechanic



*Optional colors.

- 4 cooking programmes •
- Inox, painted or glass control panel •
- Internal light • Turbo fan •
- Internal light •
- 57 lt Inner capacity •
- Double glass door •
- Adjustable thermostat and timer •
- 2 enamel trays and 1 grid •

*Optional gas cooking system
*Optional hidden cooking system

A6 SF2

Basic



*Optional colors.

- 4 cooking programmes •
- Inox, painted or glass control panel •
- Internal light • Turbo fan •
- Internal light •
- 57 lt Inner capacity •
- Double glass door •
- Adjustable thermostat and timer •
- 2 enamel trays and 1 grid •

*Optional gas cooking system
*Optional hidden cooking system

	A6SF2 (MT)	A6SF2
Package type >	Polyfoam and shrink •	Polyfoam and shrink •
Package Dimension (wxdxh) >	64x66x63 cm •	64x66x63 cm •


	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - A6SF2(MT) >	85 Pcs. •	170 Pcs. •	216 Pcs. •
A6SF2 >	85 Pcs. •	170 Pcs. •	216 Pcs. •

40 TAHDF & 410BF Series

Built-in Hobs

40-TAHDF

Glass



410BF

Slim



Gas cut-off safety •

Glass body •

Automatic Ignition •

Enamelled burner caps •

Enamelled pan supports •

Lpg to Ng convert set •



*Optional colors.

Gas cut-off safety •

Enamel or Inox body •

Automatic Ignition •

Enamelled burner caps •

Enamelled pan supports •

Lpg to Ng convert set •



*Optional colors.

	40-TAHDF	410 BF
Package type >	Polyfoam and shrink •	Polyfoam and shrink •
Package Dimension (wxdxh) >	17x65x63 cm •	64x66x63 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 40-TAHDF >	475 Pcs. •	880 Pcs. •	980 Pcs. •
410 BF >	650 Pcs. •	1250 Pcs. •	1350 Pcs. •

765 Glass *White and black*



- Air capacity: 650m³/h •**
- Motor power: 190W •**
- Noise level: 56DbA •**
- Black or white glass body •**
- 3 speed mode •**
- Touch button control system •**
- Lighting lamp •**
- Washable aluminium filters •**



*Optional colors.

735 Glass *White and black*



- Air capacity: 650m³/h •**
- Motor power: 190W •**
- Noise level: 56DbA •**
- Black or white glass body •**
- 3 speed mode •**
- Touch button control system •**
- Lighting lamp •**
- Washable aluminium filters •**



*Optional colors.

	765	735
Package type >	Polyfoam and shrink •	Polyfoam and shrink •
Package Dimension (wxdxh) >	58x63x39 cm •	58x63x39 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 765 >	230 Pcs. •	400 Pcs. •	500 Pcs. •
735 >	230 Pcs. •	400 Pcs. •	500 Pcs. •

Glass, Inox and Painted Series

Built-in Hoods

710 Oval Glass
White and black



DP-6 S/W/X
Basic



- Air capacity: 650m³/h •**
- Motor power: 190W •**
- Noise level: 56DbA •**
- White or black oval glass body •**
- 3 speed mode •**
- Push button control system •**
- Lighting lamp •**
- Washable aluminium filters •**



*Optional colors.

- Air capacity: 450m³/h •**
- Motor power: 135W •**
- Noise level: 56DbA •**
- Inox or painted body •**
- 3 speed mode •**
- Push button control system •**
- Lighting lamp •**
- Washable aluminium filters •**



*Optional colors.

	710	DP-6
Package type >	Polyfoam and shrink •	Polyfoam and shrink •
Package Dimension (wxdxh) >	58x63x39 cm •	46,5x60x25 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 710 >	230 Pcs. •	400 Pcs. •	500 Pcs. •
DP-6 >	455 Pcs. •	940 Pcs. •	1060 Pcs. •



Gas Cookers

Table Top Hobs

Gas Cookers

Glass Series
Table Top Hobs

40 TSHDF Round Grids
Black - White Glass



40 TSHDF Square Grids
Black - White Glass



* Optional white glass

- 4 Gas •
- Gas cut-off safety •
- Black glass body •
- Enamel burner caps •
- Round enamel burner grids •
- Button lighter •
- Lpg to Ng convert set •



* Optional black glass

- 4 Gas •
- Gas cut-off safety •
- Black glass body •
- Enamel burner caps •
- Round enamel burner grids •
- Button lighter •
- Lpg to Ng convert set •

40 TSHDF
Dimension(wxdxh) > 57x60,5x11 cm •
Package Dimension (wxdxh) > 64,5x62,5x17 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 40TSHDF >	460 Pcs. •	825 Pcs. •	1010 Pcs. •

420 F

Black - White - Inox



422 F

Black - White - Inox



4 Gas burner •

WOK burner•

Gas cut-off safety •

Optional White/Black/Inox body •

Enamel burner caps •

Enamel burner grids •

Button lighter •

Lpg to Ng convert set •



*Optional Wok burner

3 Gas + 1 Electric burner •

Gas cut-off safety •

Optional White/Black/Inox body •

Enamel burner caps •

Enamel burner grids •

Button lighter •

Lpg to Ng convert set •

	420 F	422 F
Dimension(wxdxh) >	56x58x10 cm •	56x58x10 cm •
Package Dimension (wxdxh) >	57,5x63x14 cm •	57x62x13 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 420 F >	625 Pcs. •	1115 Pcs. •	1370 Pcs. •
422 F >	690 Pcs. •	1230 Pcs. •	1520 Pcs. •

Gas Cookers

Table Top Hobs

420 & 410 Series

410 F

Black - Inox



4 Gas burner •

Gas cut-off safety •

Optional black/Inox body •

Enamel burner caps •

Enamel burner grids •

Button lighter •

Lpg to Ng convert set •

412 F

Black - White - Inox



3 Gas + 1 Electric burner •

Gas cut-off safety •

Optional black/Inox body •

Enamel burner caps •

Enamel burner grids •

Button lighter •

Lpg to Ng convert set •

	410 F	412 F
Dimension(wxdxh) >	55,5x58,5x10 cm •	55,5x58,5x10 cm •
Package Dimension (wxdxh) >	57x62x13 cm •	57x62x13 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 410 F >	690 Pcs. •	1230 Pcs. •	1520 Pcs. •
412 F >	690 Pcs. •	1230 Pcs. •	1520 Pcs. •

416 Pipe system *Basic pipe*



- 4 Gas burner •**
- Optional White/Black/Grey body •**
- Enamel burner caps •**
- Enamel burner grids •**

*Optional enamel body

204 Pool System *Basic pool*



- 4 Gas burner •**
- Grey painted body •**
- Enamel burner caps •**
- Enamel burner grids •**

*Optional enamel body

	416 F	204 F
Dimension(wxdxh) >	50x58x11 cm •	50x56x15 cm •
Package Dimension (wxdxh) >	59x63x11,5 cm •	55x62x18 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 416 F >	740 Pcs. •	1220 Pcs. •	1625 Pcs. •
204 F >	515 Pcs. •	920 Pcs. •	1130 Pcs. •

Gas Cookers

Table Top Hobs

Basic Series

104 Basic
Black - White - Grey



4 Gas burner •
Optional White/Black/Grey body •
Enamel burner caps •
Enamel burner grids •

*Optional enamel body
*Optional metal lid

123 & 102 Basic
Black - White - Grey



#123 Black

#102 White

2/3 Gas burner •
Optional White/Black/Grey body •
Enamel burner caps •
Enamel burner grids •

*Optional enamel body
*Optional metal lid

	104 F	102 F	123 F
Dimension (width) >	51x51x7,5 cm •	32,5x60,5x7,5 cm •	32,5x60,5x7,5 cm •
Package Dimension (width) >	52x59x11 cm •	42,5x65x19 cm •	39x62x10 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 104 F >	940 Pcs. •	1680 Pcs. •	2065 Pcs. •
102 F >	600 Pcs. •	1075 Pcs. •	1325 Pcs. •
123 F >	1315 Pcs. •	2345 Pcs. •	2885 Pcs. •



Free Standing Ovens

Electric and Gas Cookers

60x90, 60x60, 60x50 and 50x50 Series

Free Standing Ovens



Fashion 60x60

- 4 Electric top burner •
- Electrical bottom burner •
- Enamel burner caps and burnergrids •
- Adjustable timer and thermostat •
- 1 enamel tray and Cr-Ni wire rack •
- Interior oven light •

* Optional pipe system



TLF 69 60x90

- 5 Gas top burner •
- Gas bottom burner •
- Rotisserie •
- Enamel burner caps and burnergrids •
- Adjustable timer and thermostat •
- Button ignition •
- Interior oven light •
- 1 enamel tray and Cr-Ni wire rack •

Color Options >

- Full Inox
- Black half Inox
- Grey half black
- Silver Inox black

- White enamelled
- Black enamelled
- Grey enamelled
- Mirror Inox effect

- Light brown enamelled
- Dark brown enamelled
- Light brown enamelled TDF
- Dark brown enamelled TDF





Classic 50x60

- 4 Gas top burner •
- Gas bottom burner •
- Aluminium cavity side walls •
- Enamel burner caps and burnergrids •
- † Optional pipe system



Classic 50x50

- 2 Gas + 2 electric top burner •
- Electrical bottom burner •
- Enamel burner caps and burnergrids •
- Adjustable timer and thermostat •
- † Optional pipe system



Classic Eclipse 60x60

- 3 Gas + 1 electric top burner •
- Electrical bottom burner •
- Enamel burner caps and burnergrids •
- Adjustable timer •
- Adjustable thermostat •
- Self Ignition •

- Oven Part Alternatives >
- **G** / Bottom burner
 - **GG** / Bottom burner + Upper grill burner
 - **GGG** / Bottom burner + Upper electrical grill element
 - **S** / Bottom burner + Upper element

- **SF** / Bottom + Upper element + Fan
- **SG** / Bottom + Upper electrical grill element
- **SGF** / Bottom + Upper electrical grill element + Fan
- **M** / Bottom + Upper electrical grill element + Turbo + Fan

60x90, 60x60, 60x50 and 50x50 Series

Free Standing Ovens



Classic 60x60
Full Electric

- 4 Electric top burner •
- Electrical bottom burner •
- Adjustable timer •
- Adjustable thermostat •

* Optional pipe system



Classic 60x60
Cross Electric

- 2 Gas + 2 electric cross top burner •
- Electrical bottom burner •
- Enamel burner caps and burnergrids •
- Adjustable thermostat •

* Optional pipe system



Junior 50x50

- 2 Gas + 2 electric top burner •
- Electrical bottom burner •
- Enamel burner caps and burnergrids •
- Adjustable timer •
- Adjustable thermostat •

* Optional pipe system

Color Options >

- Full Inox
- Black half Inox
- Grey half black
- Silver Inox black

- White enamelled
- Black enamelled
- Grey enamelled
- Mirror Inox effect

- Light brown enamelled
- Dark brown enamelled
- Light brown enamelled TDF
- Dark brown enamelled TDF





Small Appliances

Tosters, kettles, hotplates and barbecues.

Small Appliances

Mini Tost

6750 series

6750 Mini Tost
2-Slice



- 750 W •
- Easy lock clip •
- Warm-up in a short time •
- Red power indicator •
- Non-stick surface •
- Foot rubber for closure •

6750 Mini Tost
2-Slice - Color Options



- 750 W •
- Optional colored boddies •
- Easy lock clip •
- Warm-up in a short time •
- Red power indicator •
- Non-stick surface •
- Foot rubber for closure •

	6750
Dimension(wxdxh) >	35x45x13 cm •
Package Dimension (wxdxh) >	35,5x45,5x16 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 6750 >	1230 Pcs. •	2195 Pcs. •	2695 Pcs. •

7115 Single Hot Plate *Enamel Body*



- 1500 Watt plate •**
- Adjustable thermostat •**
- Enamel body •**
- Power Indicator •**

7011 Single Hot Plate *Enamel Body*



- 1500 Watt plate •**
- Adjustable thermostat •**
- Enamel body •**
- Power Indicator •**



* Optional black and grey painted body

	7115	7011
Dimension(wxdxh) >	26x28x8 cm •	25x28x9,5 cm •
Package Dimension (wxdxh) >	29,5x31x10,5 cm •	28x31,5x11,5 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 7115 >	3325 Pcs. •	5925 Pcs. •	7295 Pcs. •
7011 >	3145 Pcs. •	5610 Pcs. •	6890 Pcs. •

Small Appliances

Hot Plates

7000 Series

7021 Double Hot Plate
Enamel Body



- 1000 + 1500 Watt plates •
- Adjustable thermostat •
- Enamel body •
- Power Indicator •

7021 Double Hot Plate
Painted Body



- 1000 + 1500 Watt plates •
- Adjustable thermostat •
- Painted body •
- Power Indicator •



* Optional black painted body

	7021	7020
Dimension(wxdxh) >	28x50x9,5 cm •	cm •
Package Dimension (wxdxh) >	31,5x53,5x11,5 cm •	cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 7021 >	1645 Pcs. •	2930 Pcs. •	3600 Pcs. •
7020 >	Pcs. •	Pcs. •	Pcs. •

9190 Kettle *360° White*



- 1850-2200 Watt •**
- 1,7 Lt. tank capacity •**
- Automatically switches off when the kettle is empty •**
- Easy push button operated lid •**
- Auto shutoff •**
- Double side water level Indicator •**
- 360° swivel cordless connector •**
- Cord storage in base •**
- Calc filter and concealed heating element •**

9180 Kettle *White*



- 2000 Watt •**
- 1,7 Lt. tank capacity •**
- Automatically switches off when the kettle is empty •**
- Auto shutoff •**
- Double side water level Indicator •**
- Calc filter •**
- Concealed heating element •**

	9190	9180
Dimension(wxdxh) >	16x20x27,5 cm •	12,5x21x27,5 cm •
Package Dimension (wxdxh) >	16,5x20,5x28 cm •	13x21x28 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 9190 >	3370 Pcs. •	6010 Pcs. •	7380 Pcs. •
9180 >	4180 Pcs. •	7445 Pcs. •	9145 Pcs. •

Small Appliances

9000 & 6750 series

Kettle & Barbeque

BM1-O

*Stand
Barbeque*



2200 Watt •

Adjustable thermostat •

Wide round cooking surface •

Safety heating element •

Power Indicator •

Usable without feet •



€ 34,5 cm cooking area

BM1-IO

Barbeque



2200 Watt •

Adjustable thermostat •

Wide round cooking surface •

Safety heating element •

Power Indicator •



€ 34,5 cm cooking area

BM1-O

BM1-IO

Dimension (wxdxh) >

45,5x45,5x75 cm •

45,5x45,5x11 cm •

Package Dimension (wxdxh) >

46x46x12 cm •

46x46x12 cm •

Loading Quantity - BM1-O >

20"DC Cont.

1255 Pcs. •

40"DC Cont.

2235 Pcs. •

40"HC Cont.

2745 Pcs. •

BM1-IO >

1255 Pcs. •

2235 Pcs. •

2745 Pcs. •

KB-6030 TRCE
*Stand
Barbeque*



- 2200 Watt •**
- Adjustable thermostat •**
- Wide round cooking surface •**
- Safety heating element •**
- Power Indicator •**
- Usable without feet •**

KB-6030 TCE
Barbeque



- 2200 Watt •**
- Adjustable thermostat •**
- Wide round cooking surface •**
- Safety heating element •**
- Power Indicator •**

	6030 TRCE	6030 TCE
Dimension(wxdxh) >	46x58x85 cm •	36x54x11,5 cm •
Package Dimension (wxdxh) >	37,5x55,5x17 cm •	37,5x55,5x16 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 6030TRCE >	900 Pcs. •	1600 Pcs. •	1970 Pcs. •
6030TCE >	955 Pcs. •	1700 Pcs. •	2090 Pcs. •

Small Appliances

Barbeque

BBQ Series

KB-6020 TRCE

*Stand
Barbeque*



2200 Watt •

Adjustable thermostat •

3 Position for grillcgrid •

Wide cooking surface •

Safety heating element •

Power Indicator •

Usable without feet •

*Optional painted or enamel body

KB-6020 TCE

Barbeque



2200 Watt •

Adjustable thermostat •

3 Position for grillcgrid •

Wide cooking surface •

Safety heating element •

Power Indicator •

*Optional painted or enamel body

	6020 TRCE	6020 TCE
Dimension(wxdxh) >	46x58x85 cm •	36x54x11,5 cm •
Package Dimension (wxdxh) >	37,5x55,5x17 cm •	37,5x55,5x16 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 6020TRCE >	900 Pcs. •	1600 Pcs. •	1970 Pcs. •
6020TCE >	955 Pcs. •	1700 Pcs. •	2090 Pcs. •



KB-6012 TRCE
*Stand
Barbeque*

- 2200 Watt •
 - Adjustable thermostat •
 - 3 Position for grillcgrid v•
 - Wide cooking surface •
 - Safety heating element •
 - Power Indicator •
 - Usable without feet •
- *Optional painted or enamel body



KB-6012 TCE
Barbeque

- 2200 Watt •
 - Adjustable thermostat •
 - 3 Position for grillcgrid v•
 - Wide cooking surface •
 - Safety heating element •
 - Power Indicator •
- *Optional painted or enamel body

	6012 TRCE	6012 TCE
Dimension(wxdxh) >	49x53x87 cm •	34x51,5x14 cm •
Package Dimension (wxdxh) >	34x52,5x16 cm •	34x51,5x14 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 6012TRCE >	1105 Pcs. •	1985 Pcs. •	2440 Pcs. •
6012TCE >	1300 Pcs. •	2315 Pcs. •	2845 Pcs. •

Small Appliances

Barbeque

BBQ Series

KB-6000 TRCE

*Stand
Barbeque*



2200 Watt •

Adjustable thermostat •

3 Position for grillcgrid v•

Wide cooking surface •

Safety heating element •

Power Indicator •

Usable without feet •

*Optional painted or enamel body

KB-6000 TCE

Barbeque



2200 Watt •

Adjustable thermostat •

3 Position for grillcgrid v•

Wide cooking surface •

Safety heating element •

Power Indicator •

*Optional painted or enamel body

	6000 TRCE	6000 TCE
Dimension(wxdth) >	49x53x87 cm •	34x51,5x14 cm •
Package Dimension (wxdth) >	34x52,5x16 cm •	34x51,5x14 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 6000TRCE >	1105 Pcs. •	1985 Pcs. •	2440 Pcs. •
6000TCE >	1300 Pcs. •	2315 Pcs. •	2845 Pcs. •



Tower Heater

Orbit and Carbon Series

Tower Heaters

MH & TH Series
Orbit and Carbon



MH-1800 Orbit

- Optional 900 / 1800 Watt •**
- Vertical use body •**
- Durable heating Mika tube •**
- Safety switch •**
- Adjustable thermostat •**
- 2 power usage •**
- Easy carrying handle •**



TH-1800 Carbon

- 1800 Watt •**
- Vertical use aluminum body •**
- Carbone tube •**
- Safety switch •**
- Adjustable thermostat •**
- 2 power usage •**
- Easy carrying handle •**

	MH-1800	TH-1800
Dimension(wxdxh) >	40x31x114,5 cm •	40x31x115,5 cm •
Package Dimension (wxdxh) >	19x28x117 cm •	19x28x117 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - MH-1800 >	510 Pcs. •	905 Pcs. •	1115 Pcs. •
TH-1800 >	510 Pcs. •	905 Pcs. •	1115 Pcs. •



— *Sömine* —

Infrared and Quartz Heating Series

2860 Series

Sömine

Infrared and quartz

KS-2861 Infrared
Sömine



- 2400 / 2700 Watt •
- 3 Infrared tubes •
- Safety switch •
- Steam •
- Adjustable thermostat •
- 3 power usage •
- Easy carrying handle •
- Wheels movable in all directions •

KS-2860 Quartz
Sömine



- Optional 2500 / 2800 / 3000 Watt •
- 5 quartz tubes •
- Safety switch •
- Adjustable thermostat •
- 3 power usage •
- Easy carrying handle •
- Wheels movable in all directions •

	2861	2860
Dimension(wxdxh) >	30x60,5x68 cm •	30x60,5x68 cm •
Package Dimension (wxdxh) >	31x64,5x69 cm •	31x64,5x69 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 2861 >	230 Pcs. •	410 Pcs. •	505 Pcs. •
2860 >	230 Pcs. •	410 Pcs. •	505 Pcs. •

2811-6 Quartz *Optimus*



- 2200 Watt •**
- 6 quartz tubes (4 front + 2 top) •**
- Safety switch •**
- Adjustable thermostat •**
- 4 power usage •**
- Easy carrying handle •**
- Wheels movable in all directions •**

2811 Quartz *Eco Optimus*



- Optional 2200 / 2400 Watt •**
- 4 quartz tubes •**
- Safety switch •**
- Steam • Turbo fan •**
- Adjustable thermostat •**
- 3 power usage •**
- Easy carrying handle •**
- Wheels movable in all directions •**

	2811-6	2811		20"DC Cont.	40"DC Cont.	40"HC Cont.
Dimension(wxdh) >	25,5x71x57,5 cm •	25,5x71x57,5 cm •	Loading Quantity - 2811-6 >	245 Pcs. •	495 Pcs. •	540 Pcs. •
Package Dimension (wxdh) >	27x72x59 cm •	27x72x59 cm •	- 2811 >	370 Pcs. •	495 Pcs. •	540 Pcs. •
Package Dimension - foam (wxdh) >	27x77x62 cm •	27x77x62 cm •	Loading Quantity (foam) - 2811-6 >	275 Pcs. •	440 Pcs. •	610 Pcs. •
			- 2811 >	275 Pcs. •	440 Pcs. •	610 Pcs. •

Quartz Heaters 2700 & 2800 Series

2710 Quartz
Classic



- Optional 2500 / 2800 Watt •**
- 5 quartz tubes (3 front + 2 top) •**
- Safety switch •**
- Adjustable thermostat •**
- 4 power usage •**
- Wheels movable in all directions•**

*Optional big wheel

2700 Quartz
Basic



- 2000 Watt •**
- 3 quartz tubes •**
- Safety switch •**
- Adjustable thermostat •**
- 3 power usage •**
- Wheels movable in all directions•**

*Optional big wheel

	2710	2700
Dimension(wxdh) >	21x78x58 cm •	21x78x58 cm •
Dimension - Big wheel (wxdh) >	25,5x78x58,5 cm •	25,5x78x58,5 cm •
Package Dimension (wxdh) >	23x79x59 cm •	23x79x59 cm •
Pckg. Dimension - Big wheel (wxdh) >	26x79,5x60,5 cm	27x77x62 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 2710 >	295 Pcs. •	530 Pcs. •	650 Pcs. •
- 2700 >	295 Pcs. •	530 Pcs. •	650 Pcs. •
Loading Quantity (Big wheel) - 2710 >	290 Pcs. •	515 Pcs. •	635 Pcs. •
- 2700 >	290 Pcs. •	515 Pcs. •	635 Pcs. •



— *Mini Sömine* —

Infrared and Quartz Heating 2760 Series

2760 Series Mini Sömine

Infrared and quartz

2760 Quartz
Mini Sömine



- 2200 Watt •
- 4 quartz tubes •
- Safety switch •
- Adjustable thermostat •
- 2 power usage •
- Easy carrying handle •

2761 Infrared
Mini Sömine



- 2250 Watt •
- 3 Infrared tubes •
- Safety switch •
- Adjustable thermostat •
- 2 power usage •
- Easy carrying handle •

2763 Quartz
Mini Sömine



- 1800 Watt •
- 3 quartz tubes •
- Safety switch •
- 2 power usage •
- Easy carrying handle •

	2760	2761	2763
Dimension(wxdh) >	20x61x52 cm •	20x61x52 cm •	20x61x52 cm •
Package Dimension (wxdh) >	20,5x61,5x53 cm •	20,5x61,5x53 cm •	20,5x61,5x53 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 2760 >	475 Pcs. •	850 Pcs. •	1045 Pcs. •
2761 >	475 Pcs. •	850 Pcs. •	1045 Pcs. •
2763 >	475 Pcs. •	850 Pcs. •	1045 Pcs. •



— *Delux* —

Quartz Heating 2830 Series

Delux Heater ^{2830 Series} Quartz

2835 Quartz
Delux



- 1500 Watt •
- 3 quartz tubes •
- Safety switch •
- Steam •
- 2 power usage •
- Easy carrying handle •

2832 Quartz
Eco-Delux



- 1500 Watt •
- 3 quartz tubes •
- Safety switch •
- 2 power usage •
- Easy carrying handle •

2830 M Quartz
Delux plus



- 1800 Watt •
- 3 quartz tubes •
- Safety switch •
- Turbo fan and Steam •
- Adjustable thermostat •
- Easy carrying handle •
- 3 power usage •



*Optional 2831 model
without turbo fan

	2835	2832	2830
Dimension (width) >	23x56x44 cm •	23x56x44 cm •	23x56x44 cm •
Package Dimension (width) >	26x58x44 cm •	26x58x44 cm •	26x58x44 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 2835 >	965 Pcs. •	1715 Pcs. •	2105 Pcs. •
2832 >	965 Pcs. •	1715 Pcs. •	2105 Pcs. •
2830 >	965 Pcs. •	1715 Pcs. •	2105 Pcs. •



Mini Heater

Infrared and Quartz Heating 2820 Series

2820 Series Mini Heater

Infrared and quartz

2819 M Quartz
Mini Heater



- 1200 Watt •
- 2 quartz tube •
- Safety switch •
- 2 power usage •
- Easy carrying handle •

2820 Quartz
Mini Heater



- Optional 1500 / 1300 Watt •
- 3 quartz tube •
- Safety switch •
- 2 power usage •
- Easy carrying handle •

2825 Infrared
Mini Heater



- 1200 Watt •
- 1 Infrared tube •
- Safety switch •
- 2 power usage •
- Easy carrying handle •



*Optional 2822 infrared
with single power usage

	2819	2820	2825
Dimension(wxdxh) >	12,5x50,5x25,5 cm •	12,5x50,5x25,5 cm •	12,5x50,5x25,5 cm •
Package Dimension (wxdxh) >	13,5x51,5x27cm •	13,5x51,5x27cm •	13,5x51,5x27cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 2819 >	1700 Pcs. •	3025 Pcs. •	3720 Pcs. •
2820 >	1700 Pcs. •	3025 Pcs. •	3720 Pcs. •
2825 >	1700 Pcs. •	3025 Pcs. •	3720 Pcs. •



Mobil Heater

Infrared Mobile and Mountable Heating Series

Twinray Series

Infrared Heater

Double infrared tubes



DXP-20 Mobile
Twinray

- 2000 Watt •
- Safety switch •
- 2 Infrared tubes •
- 2 Power usage •
- Adjustable thermostat •



DX-25 Wall
Twinray

- 2500 Watt •
- 2 Infrared tubes •
- 2 Power usage •
- Adjustable thermostat •
- Mounting on wall •

	DXP-20	DX-25
Dimension(wxdxh) >	45x84x117 cm •	10x84x20 cm •
Package Dimension (wxdxh) >	12,5x90,5x22,5 cm •	12,5x90,5x22,5 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - DXP-20 >	1255 Pcs. •	2235 Pcs. •	2750 Pcs. •
DX-25 >	1255 Pcs. •	2235 Pcs. •	2750 Pcs. •



Mobil Heater

Infrared Mobile and Mountable Heating Series


Super Ecoray

Infrared Heater



EXP-18 S Mobile
Super ecoray

1800 Watt •
Safety switch •
1 Infrared tube •
Adjustable thermostat •




EX-25 S Wall
Super ecoray

2500 Watt •
1 Infrared tube •
Adjustable thermostat •
Mounting on wall •


	EXP-18 S	EX-25 S
Dimension(wxdxh) >	45x84x117 cm •	10x84x20 cm •
Package Dimension (wxdxh) >	12,5x90,5x22,5 cm •	12,5x90,5x22,5 cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - EXP-18 S >	1255 Pcs. •	2235 Pcs. •	2750 Pcs. •
EX-25 S >	1255 Pcs. •	2235 Pcs. •	2750 Pcs. •

EX-25 N Wall
Eco-pus



EX-25 Wall
Ecoray



CX-25 Wall
Zenon



Optional 2300 / 2500 Watt •

1 Infrared tube •

Adjustable thermostat •

Mounting on wall •

Optional 2300 / 2500 Watt •

1 Infrared tube •

Adjustable thermostat •

Mounting on wall •

Optional 2000 / 2500 Watt •

1 Infrared tube •

Adjustable thermostat •

Mounting on wall •

	EXS-25	EX-25	CX-25
Dimension(wxdxh) >	10x84x20 cm •	10x84x20 cm •	13x98x18 cm •
Package Dimension (wxdxh) >	12,5x90,5x22,5cm •	12,5x90,5x22,5cm •	14,5x103x21cm •

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - EXS-25 >	1255 Pcs. •	2235 Pcs. •	2750 Pcs. •
EX-25 >	1255 Pcs. •	2235 Pcs. •	2750 Pcs. •
CX-25 >	1015 Pcs. •	1810 Pcs. •	2220 Pcs. •

Infrared Heater

Mobile Series



EXP-18N Mobile
EcoPlus

1800 Watt •
Safety switch •
1 Infrared tube •
Adjustable thermostat •



EXP-18 Mobile
Ecoray

1800 Watt •
Safety switch •
1 Infrared tube •
Adjustable thermostat •



CXP-18 Mobile
Ecoray

1800 Watt •
Safety switch •
1 Infrared tube •
Adjustable thermostat •

	EXP-18N	EXP-18	CXP-20	Loading Quantity - EXP-18N >			20"DC Cont.	40"DC Cont.	40"HC Cont.
Dimension(wxdxh) >	45x84x17 cm •	45x84x17 cm •	45x98x17 cm •	EXP-18 >	1255 Pcs. •	2235 Pcs. •	2750 Pcs. •	2235 Pcs. •	2750 Pcs. •
Package Dimension (wxdxh) >	12,5x90,5x22,5cm •	12,5x90,5x22,5cm •	14,5x103x21cm •	CXP-18 >	1015 Pcs. •	1810 Pcs. •	2220 Pcs. •		



Fan Heater

6330 and 2910 Series

Fan Heater Series

6334
Fan Heater



- 2000 Watt •
- Turbo fan heating •
- Safety thermic switch •
- 3 power usage (cold-heat 1 -heat 2) •
- Mountable on wall •



*Optional colors

6331
Fan Heater



- 2000 Watt •
- Turbo fan heating •
- Safety thermic switch •
- 3 power usage (cold-heat 1 -heat 2) •
- Mountable on wall •



*Optional colors

2910
Convactor



- 2000 Watt •
- Turbo fan heating •
- Safety thermic switch •
- Adjustable thermostat •
- 3 power usage (cold-heat 1 -heat 2) •
- Mountable on wall •

	6334	6331	2910
Dimension (wxdxh) >	17,5x26,5x33,5 cm •	16,5x24x29 cm •	11x64,5x42 cm •
Package Dimension (wxdxh) >	18x27,5x34 cm •	17x24,5x30 cm •	15x67,5x48cm

	20"DC Cont.	40"DC Cont.	40"HC Cont.
Loading Quantity - 6334 >	1890 Pcs. •	3375 Pcs. •	4150 Pcs. •
6331 >	2550 Pcs. •	4550 Pcs. •	5590 Pcs. •
2910 >	650 Pcs. •	1160 Pcs. •	1430 Pcs. •

KUMTEL LUXELL

Head Office

Büyük Hendek Caddesi No:57 34420 Şişhane / İstanbul - TURKEY

T. +90 (212) 292 25 25 F. +90 (212) 252 11 53

Factory

Organize Sanayi Bölgesi 6.Cadde No:42 38080 Kayseri - TURKEY

T. +90 (352) 321 14 00 F. +90 (352) 321 14 14

www.kumtel.com - www.luxell.com.tr